



HIGH POTENTIAL

ALLOY SPECIFICATIONS
 CHEMICAL COMPOSITION

ELEMENT	AMOUNT
Al	0.010% Max.
Mn	0.50-1.30%
Cu	0.02% Max.
Ni	0.001% Max.
Fe	0.03% Max.
OTHER	0.05% EACH OR 0.30% MAX. TOTAL
Mg	REMAINDER

BACKFILL COMPOSITION

75% GYPSUM
 20% BENTONITE
 5% SODIUM SULPHATE

INGOT WEIGHT: 48 LBS.
 PKGD WEIGHT: 96 LBS. APPROX.

REVISIONS	APPROVED	DATE	VISTA IRRIGATION DISTRICT	PATH: (TOM) H:\STDDWGS\B-1.DWG
			PREPACKAGED MAGNESIUM ANODE	<i>John A. Amodeo</i> 12/2/97
				JOHN AMODEO R. C. E. 31161
ACAD		6/96		STANDARD DRAWING 8-1